

HI-FLOW™ BACKWASH VALVE



TROUBLE-FREE PERFORMANCE FOR SIDE-MOUNTED SAND AND D.E. FILTERS

Our Hi-Flow valve is designed for maximum performance and working pressures. It features the same quality and reliability you've come to know and expect from Pentair. It's pre-plumbed for easy installation in side-mounted sand or D.E. (diatomaceous earth) filter applications.



PRODUCT FEATURES

- Solid, injection-molded PVC housing permits leak-free solvent welds to PVC piping.
- Large, reinforced one-piece handle for years of trouble-free operation.
- High efficiency, center intake diverter is made of heavy-duty, glass-filled PPO Resin for strength and heat resistance.

The Hi-Flow valve features full six-position, positive lock operation plus a special winterizing position, providing access to a full range of filtration system capabilities.

HI-FLOW™ BACKWASH VALVE

Engineered to accommodate up to 125 gpm flow rates with proper component combinations

Clearly and permanently marked ports for ease of plumbing

Two-inch inlet and outlet ports for unrestricted water flow



FULL-FEATURE VALVE OFFERS MAXIMUM CONTROL

The Hi-Flow valve provides precise control of pool filter functions. And as with all Pentair® valves, the Hi-Flow valve is designed to perform flawlessly for years to come.



Rainbow Pool Products

PO Box 2388, Mansfield Qld 4122

Telephone STD 61-7-3849 5385

Facsimile STD 61-7-3849 5384

Email: info@rainbowpoolproducts.com.au

Web: www.rainbowpoolproducts.com.au



HI-FLOW™

HI-FLOW™ BACKWASH VALVE



TROUBLE-FREE PERFORMANCE FOR SIDE-MOUNTED SAND AND D.E. FILTERS

Our Hi-Flow valve is designed for maximum performance and working pressures. It features the same quality and reliability you've come to know and expect from Pentair. It's pre-plumbed for easy installation in side-mounted sand or D.E. (diatomaceous earth) filter applications.

PRODUCT FEATURES

- Solid, injection-molded PVC housing permits leak-free solvent welds to PVC piping.
- Large, reinforced one-piece handle for years of trouble-free operation.
- High efficiency, center intake diverter is made of heavy-duty, glass-filled PPO Resin for strength and heat resistance.

The Hi-Flow valve features full six-position, positive lock operation plus a special winterizing position, providing access to a full range of filtration system capabilities.

